

Mile boards to the contract of Julian Contine to Study Contine to Contine t Month and a study contine to a s A. Hingboardstudy.comthabanaricht Military of Study Continues of the Conti the boards tildy. Contine boards tildy of the hinds of th A CONTROL OF THE PORT OF THE PROPERTY OF THE P is the boards.



defination

CELL THE UNIT OF LIFE

A cell is defined as the most basic, structural and functional unit of all living organisms. Essentially, a cell is a structure that contains organelles which provide necessary functions to sustain itself. However, not all cells are the same.




- Cells are smaller in size.
- Membrane-bound organelles are absent.


Eukaryotic cells

- Membrane-bound nucleus is present.
- Cells are larger in size.
- More than one chromosome is present.
- A STANTANT COMPLETE ON THE POST OF THE PARTY Membrane-bound organelles are present. Neboards tudy contine boar 3hoardstudy contineboards and study continue to milke boardstuly

oardsiud



- Cell membrane is composed of lipids that are arranged in bilayer. The lipid component is mainly composed of phosphoglycerides. Later it was found that protein is all in cell membrane. Ratio of protein and the component in cell membrane.
- Membrane protein may be integral or peripheral. Integral protein remains buried in membrane but peripheral protein lies on the surface.
- neboardstudy.comineb Singer and Nicholson (1972) proposed fluid mosaic model. According to this model, the quasi-fluid nature of lipid enables lateral movement of protein within the bilayer of boardstudy.com Atheboards tudy continu Jdy.comineboardst lipids.



BIOLOGY

CELL THE UNIT OF LIFE

epoards

Eukaryotic cells: Eukaryotic cells Possess an organized nucleus with nuclear envelope and have a variety of complex locomotory and cytoskeletal structures.

Active Transport


by the cells, It occurs against The transport involves an expenditure of energy concentration gradient. It is a rapid process.

Passive Transport

The cells do not spend energy in passive transport, this transport is always along the concentration gradient. It is comparatively slow process.

Endoplasmic Reticulum

Endoplasmic Reticulum are the tubular structure scattered in the cytoplasm. Rough endoplasmic reticulum bears ribosomes on its surface. RER is involved in protein synthesis and secretion. Smooth endoplasmic reticulum does not bear ribosomes on its surface. SER is involved in lipid synthesis and steroidal hormones.



l'coutheposides in de l'acceptance de la contraction de la contrac y.comineboardsti Golgi apparatus

ardstudi

"Yeiligh'C

HIIM COM


omineboardstudi

Golgi apparatus was first observed by Camillo Golgi in 1898 near nucleus. They consist of many flat, disc-shaped sacs or cisternae stacked parallel to each other. Golgi apparatus performs the function of packaging of materials and its transportation. A number of protein synthesized by ribosomes are modified in cisternae of Golgi apparatus. Golgi apparatus is the " culifue post IIAY COMINE Jethidy comi site for synthesis of Glycoproteins and glycolipids. maidstudy ard study.c wahoardsti wikepost,

confineb,

44 COMIT

Golgi Apparatus



Lysosomes

Lysosomes are membrane-bound vesicular structures formed by the process of packaging in the Golgi apparatus. They are rich in hydrolytic enzymes- lipase, protease, carbohydrates active at acidic PH. These enzymes are capable of digesting carbohydrates, proteins, lipids, and nucleic acids.

Vacuoles

Vacuoles are membrane-bound space found in cytoplasm containing water, sap and excretory product. They are bound by single membrane. They form contractile vacuole and food vacuole in many organisms.

Mitechondria

Mitochondria is double membrane-bound structure with the outer membrane and inner membrane dividing its lumen in two compartments. The inner membrane forms a number of A Strike of the boards. I see the boards. infoldings called cristae towards the matrix. hahnardstudy.comineboal A Style Hilly Contine boards in

in the board study

i. Air contine boardst

Plastids

whe hoardstudy contined Plastids are found in plant cells and in Euglenoids.

Plastids are three types:

Chloroplast (Contain chlorophyll and caratenoids)

Chromoplast (Contain carotene and xanthophyll)

eboardsu

Oardsillu)

ide findy.

Study con

Theboally

N. COMITTEE

Onthebuc

Leucoplast (Colorless plastids).

Chloroplast performs and chromoplast: Contains carotene and xanthophylls. They im flowers and fruits and help in pollination and dispersal of seeds
 Leucoplast: They are colorless and store various food productions or aleuroplasts of store Chromoplast: Contains carotene and xanthophylls. They impart a specific color to flowers and fruits and help in pollination and dispersal of seeds

Leucoplast: They are color carotenoids

9A'COLUILII

COMITMEN

atheboards

eboardsiu

Oardsiudy

- xanthophylls. They impart a spe Leucoplast: They are colorless and store various food products, e.g., amylo starch, proteinoplasts or aleuroplasts- store proteins, elaioplasts- store fat. poatdstudy contined oardstudy contined oardstudy contined to the contined oardstate the contined oardstudy contined to the contined oardstate the co Leucoplast: They are colorless and store various food products, e.g., amyloplasts- store starch, proteinoplasts or aleuroplasts- store proteins, elaioplasts- store fat asts store
 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store

 asts store


 asts store

 asts store

 asts store

 asts st and the boards to are the boards to the boar 30 and study Continue to Oard Study Continue

and study continue boards tudy continue boards tudy



THEY

Important Questions

Multiple Choice Questions:

Question 1. Ribosomes were discovered by

- (a) Golgi
- (b) Porter
- (c) Robertis
- (d) Palade

Question 2. In which component of a mitochondrion ATP is synthesied?

- (a) Matrix
- (b) outer membrane
- (c) crista
- (d) F0-F1 complex (Oxysome)

Neboalde in Arther the boalde in the continue of the continue Question 3. Tonoplast, a differentially permeable membrane, surround the

- (a) nucleus

a porous single membrane
a porous double membrane
a porous double membrane
(d) many membranes
Question 6. The chloroplast thylakoids are in the form of
(a) interconnected sacs
b) independent discs
) interconnected tabules
) stalked discs.
estion 7. Aerobic respiration ...oroplast thylakoids are in the form of
...nected sacs
...ependent discs
.c) interconnected tabules
(d) stalked discs.

Question 7. Aerobic respiration is performed by
) glyoxisome
lysosomes

- (c) mitochondria
- (d) stalked discs

cell in having Question 8. Plant cell differ from

- (a) mitochondria
- (b) cell wall
- (c) golgi bodies
- (d) ribosomes

Question 9. The cell wall of certain fungi is made of

- (a) lignin
- (b) pectin
- (c) suberin
- (d) chitin

Question 10. Desmosomes are connected with

- (a) cytolysis
- (b) cell division
- (c) cell excretion
- (d) cell adherence.

Question 11. Fluid mosaic model of cell membrane state that it has lipid bilayer with

in the boardstudy continuous and study.

waku si de tudi. Contine boarde tu

on and study. Contine to and study. Contine to an analysis of the contine to an analysis of the

indu comineboarde

" " CULIFICATION OF CONTROL OF CO

- (a) proteins on the outer surface only.
- (b) Some proteins embedded and some on the surface
- (c) Proteins on both the surfaces.
- (d) Proteins embedded and some on the surface.

Question 12. Fluid mosaic model of cell membrane was proposed by

- (a) Singer and Nicholson
- (b) waston and crick
- (c) Robertson
- (d) danielli and davson

Question 13. Ribosomes are centres

- (a) Photosynthesis
- (b) liquid synthesis
- (c) Respiration
- (d) protein synthesis

Question 14. A membrahe covering

- (a) Mitochondrion
- (b) nucleolus
- (c) Plastid

- (a) Chloroplast
- (b) Ribosome
- (c) Mitochondria
- (d) Peroxisome

Fill In the Blanks:

CIENCE	CELL THE UNIT OF LIF	E					ZU
(d) Lysosor	me (Time to the total of the to	311.65	70,94	0/10	ill "Vol	100°	10,72
Question 1	5. Solar energy is convert	ed into ATP/cl	nemical en	ergy by	-W11,10	8,00,	310
(a) Chlorop (b) Ribosor (c) Mitocho (d) Peroxis	ne ondria	16000	olde file	15/11/94:	7. cou	onther ex	Sport
Fill In	the Blanks:	Urille.	00,031	,65°	70,44	60/	UII ING
	inisms are composed of organisms while others, ms.					The second secon	OMIL

- The study of structure, composition, functions and life processes of the cell is called
- was the first person to describe the cell in 1865 when he used a microscope built by him to examine a thin slice of cork
- 4. In 1831, made on important discovery when he reporeted the presence of a small sphere in the cells of the orchid root
- and combined their views and formulated the cell theory
- 6. The presence of several types of organ systems in the body of multicellular organism is a unique example of

True or False:

- 1. Sometimes a few chromosomes have secondary constrictions at a constant location, which are their non-staining region and give the appearance of a small fragment called the satellite.
- Every chromosome essentially has a primary constriction or the centromere on the sides of which disc shaped structures called kine-tochore, for the attachment of the spindle fibres, is also present.
- The biochemical analysis of the isolated chromatin has revealed that it contains DNA, some basic protein called histones, some nonhistone proteins and also RNA.
- The electron microscope has revealed that the nuclear envelope, which consists of two parallel membranes spaced by 10 to 50nm called the perinuclear space.
- 5. The eukaryotic cells usually possess a large sized, almost centrally located and densely stained organelle containing the genetic material called nucleus.
- 6. The central part of the centriole is also proteinaceous called the hub, which is connected with ...Au contineboat a tubules of the peripheral tripets by radial spokes made up of protein. Jethidy. Continex ardstudy.com

www.

rahoaidstul

i coupling boat

Very Short Question:

mineboards cultusposi 1. Who gave the term chromosome?

- what are fimbriae?

 Name the organelle of the cell called 'Suicidal-bag'?

 Define cytoplasm.

 Define plasmodesmata.

 What are the three parts

Short Questions:

- 1. Give the fundamental similarities in all cells:
- 2. What are Cytoskeletal Structures?
- 3. What are the main functions of the cell wall?
- List the functions of Golgi bodies.
- Name different types of the endoplasmic reticulum.
- size 6. Why does the efficiency of a cell decrease with an increase in organism?
- The cell is "an open dynamic system" discuss.
- 8. On what basis can we consider the cell as an autonomous unit?

Long Questions:

- What is the role of the plasma membrane in the compartmentalization of the cell?
- 2. The cells of unicellular organisms are usually spherical whereas those of multicellular tend to be many-sided. Why?
- 3. Discuss how the method of science is reflected in the formulation t of cell theory?
- If, as the second law of thermodynamics states, "the free energy in any system tends to decrease", how is it that the earth maintains so many living organisms, each in a highly organized, high free energy state?
- Explain the structure and function of mitochondria

Assertion Reason Question-

1. In these questions, a statement of assertion followed by a statement of reason is given. Choos "" COU! " coulte nahoards ACHINAY.CO maidstu

ardstud

-mithe

- (a) If both Assertion and Reason are true and Reason is the correct explanation of Assertion.
- (b) If both Assertion and Reason are true but Reason is not the correct explanation of Assertion
- (c) If Assertion is true but Reason is false.
- (d) If both Assertion and Reason are false.

Assertion: Organisms are made up of cells.


Reason: Cells are structural unit of living organisms. A cell keeps its chemical composition stead within its boundary.

- In these questions, a statement of assertion followed by a statement of reason is given. Choose the correct answer out of the following choices.
 - (a) If both Assertion and Reason are true and Reason is the correct explanation of Assertion
 - (b) If both Assertion and Reason are true but Reason is not the correct explanation of Assertion
 - (c) If Assertion is true but Reason is false.
 - (d) If both Assertion and Reason are false.

Assertion: Specialization of cells is useful for organism.

Reason: It increases the operational efficiency of an organism

Case Study Based Question-



(ii) The label 'C' in the given diagram is the site of

(a) respiration

(b) photosynthesis

(c) per

- - (c) protein synthesis

THE UNIT OF LIFE

- (d) fat synthesis
- N. Collins of State o Solution of the solution of th (iii) Difference between rough and smooth endoplasmic reticulum is that
 - (a) rough ER has ribosomes
 - (b) smooth ER has ribosomes
 - (c) smooth ER takes part in protein synthesis
 - (d) Both has F1 particles
- (iv) Ribosomes are
 - Non-membrane bound.

- (d) I and III

 (v) Which of the following statements are true about endoplasmic reticulum?

 I. Smooth Endoplasmic Reticulum (SER) makes lipids.

 II. It is also called the control centre of the cell.


 III. It processes carbohydrates.

 IV. It modifies chemicals that are tovia

 Choose the correct on (a) I III.

and study commine boards.

. Hethidy. Comittee boards!



- 30 ardstudy.com
- eboaldstudy.comineboal

(i) Identify the label A in the above diagram. (a) Chromatin fibre. (b) nuclear pore (c) Kinetochore (d) None of these (ii) Choose the correct pair. (a) Histones — Basic proteins (b) Centromere — Secondary constriction (c) Kinetochore — Kidney-shaped structure (d) None of the above (iii) For the study of structure of nucleus, the best cell is (a) cell in the interphase (b) cell in the late prophase (c) cell in the divisional phase (d) cell in the meiotic phase (iv) Which of the following table refers correctly to the chromosome? Numbers of Numbers of Numbers Centromere Kinetochore of Arm	
(b) Centromere — Secondary constriction (c) Kinetochore — Kidney-shaped structure (d) None of the above (iii) For the study of structure of nucleus, the best cell is (a) cell in the interphase (b) cell in the late prophase (c) cell in the divisional phase (d) cell in the meiotic phase	00000000
(b) Centromere — Secondary constriction (c) Kinetochore — Kidney-shaped structure (d) None of the above (iii) For the study of structure of nucleus, the best cell is (a) cell in the interphase (b) cell in the late prophase (c) cell in the divisional phase (d) cell in the meiotic phase	illo loc
(iii) For the study of structure of nucleus, the best cell is (a) cell in the interphase (b) cell in the late prophase (c) cell in the divisional phase (d) cell in the meiotic phase	COULT
(c) cell in the divisional phase (d) cell in the meiotic phase	74. CO C
(iv) Which of the following table refers correctly to the chromosome? Numbers of Numbers of Numbers Centromere Kinetochore of Arm (a) 2 4 (b) 1 2 4 (c) 2 4 (d) 1 2	deingy or
Numbers of Centromere Kinetochore of Arm (a) 2 (b) 1 2 4 (c) 2 (d) 1 (v) Which of the following stains is not used for staining chromosomes? (a) Basic fuschsin (b) Safranin (c) Methylene blue (d) Carmine Answer Key- Multiple Choice Answers: 1. (d) Palade. 2. (d) F0-F1 complex (Oxysome)	193 817
(a) Basic fuschsin (b) Safranin (c) Methylene blue (d) Carmine Answer Key- Multiple Choice Answers: 1. (d) Palade. 2. (d) F0-F1 complex (Oxysome)	iligio de la company de la com
Multiple Choice Answers: 1. (d) Palade. 2. (d) F0-F1 complex (Oxysome)	Solution Court
Multiple Choice Answers: 1. (d) Palade. 2. (d) F0-F1 complex (Oxysome)	, 194 C
1. (d) Palade. 2. (d) F0-F1 complex (Oxysome)	30,00
2. (d) F0-F1 complex (Oxysome)	1951 110
	11. 65 11
3. (d) Vacuole: 1 C O C Silvid C O Silvid C	031, 193
4. (c) Intussusception.	3,003,49
5. (c) A porous double membrane.	inebood and inex

- epoardeti (v) Which of the following stains is not used for staining chromosomes?

 (a) Basic fuschsin

- (d) Palade.
- 2.

- ell adherence.
 (b) Some proteins embedded and some on the surface.

 12. (c) Robertson.
 13. (d) Protein synthesis.
 14. (b) Nucleolus:
 15. (a) Chloroplast.

 Fill In the Blanks:
 1. cells, unicellular, multicellular
 2. cell biology.
 3. Robert Hooke
 4. Robert Brown
 5. Schleiden, Schwann
 6. division of labour

 True or Fals
 1. True
 2. True
 7.

a Oardsilloy

ardstudy.

- .rtace.
 .rtace.
 .rtace.
 .rt Brown
 .chleiden, Schwann
 6. division of labour
 .rtue or False:
 1. True
 2. True
 3. True
 4. True
 5. True
 6. True
 6. True s. True
 6. True
 Very Short Answers:
 1. Answer: Waldayer.
 2. Answer: A clear layer of oligor
 Answer: It is defined
 nswer: Pili are Very Short Answers.

 1. Answer: Waldayer.

 2. Answer: A clear layer of oligosaccharide outside the cell membrane in some and a share of oligosaccharide outside the cell membrane in some and a share of oligosaccharide outside the cell membrane in some and a share of oligosaccharide outside the cell membrane in some and one of oligosaccharide outside the cell membrane in some and of oligosaccharide outside the cell membrane in some and oligosaccharide outside the cell membrane

- Answer: Fimbriae are small, bristle-like fibers sprouting out of the cell in bacteria.
- Answer: Lysosomes are called suicidal bags of the cell.
- Answer: The cytoplasm is a jelly fluid of protoplasm composed of inorganic and organic matters containing many organelles like ribosomes, ER, vacuole, etc.
- Answer: Plasmodesmata are connections between two cell walls that are interrupted b small pores having fine threads of cytoplasm.
- 10. Answer:
 - 1. filament
 - 2. hook and
 - 3. basal body.

Short Answer

- 1. Answer: Fundamental similarities in all cells are:
 - 1. Hereditary characters are transmitted through nucleic acids
 - 2. The basic structure of membranes of all cell organelles is the same.
 - Method of aerobic respiration.
 - 4. Mechanism of synthesis of nucleic acids and proteins within the cells
- Answer: Cytoskeletal Structures: The ability of eukaryotic cells to adopt different types of shapes and to perform directed movement depends on the cytoskeleton

There are three principal types of protein filaments

- Microfilaments.
- 2. Microtubules, and
- 3. Intermediate filaments

These constitute the cytoskeleton. The microfilaments are 8 nm in diameter, either scattered or organized into the network or parallel arrays within the matrix. They play a major role in cell motion (changes in shape). Such cellular movements associated with the microfibres are movements of pigment granules, amoeboid movements, and protoplasmic streaming. These microfilaments consist of actin-like proteins.

ardstud

mine

maids

rahoar

- Answer: The main functions of the cell wall are:
 - It gives a definite shape to the cell and protects the internal organelles
 - It provides a framework and lends support to the plasma membrane
 - It prevents the cell from desiccation
 - 4. It counteracts physically the osmotic pressure produced by the cell content " couplings "I'M COULT

SCIENCE CELL THE UNIT OF LIFE

- 5. It helps in the transport of materials and metabolites in and out of the cell.
- 4. Answer: The functions of Golgi bodies are:
 - Storage, condensation, and packaging of the material.
 - Several enzymes are localized in Golgi bodies.
 - During spermatogenesis, Golgi apparatus form the euro some.
 - Mucilage and gums are secreted in plant cells due to the action of the Golgi apparatus.
- 5. Answer: There are two types of EM.
 - i. Smooth ER (Agranular) and
 - ii. Rough ER.
- Answer: With the increase in size, volume increases but surface area exposed to the
 environment does not increase correspondingly. This limits the exchange of information and
 materials through the surface. As a result efficiency of the cell as an autonomous unit
 decreases.
- 7. Answer: The cell is an open system because it allows the entry and exit of matter and energy. It takes up food, oxygen, water, and salts for its substance, growth, and division. The cell also takes up energy from- food and operates the metabolic processes. It gives out waste products, secretions, and energy.
- 8. Answer: The cell can be considered as an autonomous unit because:
 - 1. Each cell-carries out all fundamental biological processes independently.
 - 2. Each cell oxidizes food material and utilizes that energy and some nutrient molecules to synthesize complex molecules.
 - The cell uses these molecules to build new structures and to replace worn-out cells.
 - The cell respires and exchanges gases with the environment.
 - 5. It reproduces to form new cells with similar hereditary characters
 - 6. It also maintains an internal physiochemical environment.

Long Answer:

- 1. Answer: Every cell is enclosed on all sides by the distinct covering called the plasma membrane
 - It maintains the individuality of the cell by preventing the mixing of cell contents with extracellular materials.
 - 2. The cell is not a sealed compartment and the exchange of materials is allowed by the cell membrane in a selective and regulated manner.
 - 3. In animals, the cell membrane has on its surface certain chemical that can recognize cells of

Margi

COULT

SCIENCE CELL THE UNIT OF LIFE

oardstu

same kind. This helps the cells to aggregate and defend themselves against microbes.

4. The cell membrane also receives messages from outside and passes them to adjacent cells.

contine

5. The cell membrane selectively allows the passage of certain molecules and ions from the seawater to enter the cells of organisms living in the sea.

2. Answer:

- It is true that the cells of unicellular organisms tend to be spherical. It is because of the following reasons.
- Surface tension: Surface tension shapes the spherical way as in the case in air-borne soar bubbles.
- The free-floating cells with thin membranes tend to be spherical as it is the most economical shape that can confine a given mass of protoplasm.

However, the shape and the size of the cell depend upon the place where they are present and the functions they have to perform. In multicellular animals, the cells tend to become faceted a they come in contact with each other in the same way as the spherical soap bubbles become flattened when they are jammed together in a small space.

This phenomenon can be best seen in the early stages of the development of an embryo. The comass still remains spherical for some time but when the cells multiply the shape changes becau of adjusting themselves to the available space. This is also true in plants, they have in addition cellulose also.

But the most important aspect of cell shape is the functions each cell has to perform.

3. Answer: Methods of science and cell theory: Scientific method of solving a problem is a realistic approach and it helps us in finding out the truth.

The scientist after making observations of many samples proposes a hypothesis that is subject to be tested before it is taken as a theory.

i. In the case of cell theory Theodor Schwann after examining many types of tissues found that a these have cells and the cells have a nucleus and cytoplasm universally present and then after comparing its structure to that of plant cells proposed a hypothesis that bodies of animals and plants are composed of cells and products of cells.

ii. This hypothesis was later confirmed by Schleiden who examined a large variety of plant tissuand found all of them to be composed of cells. Thus the hypothesis of Schwann become a theorof Schleiden and Schwann.

Further, as the scientific method says a theory can be changed, modified, or discarded on the basis of new discoveries. The cells theory of Schleiden and Schwann was modified by Rudolf Virchow who was the first to explain that, "cells divide and all-new cells must come from pre-existing cells."


Thus we can say that method of science is fully reflected in the formulation, of the cell theory,

4. Answer:

- 1. To maintain the organization of living organisms every system of energy, try to reduce entropy. Entropy is the degree of randomness. If the system is left on its own it increases in entropy.
- 2. Earth receives a continuous supply of energy from the sun in the form of photons of light
- 3. 0.2 to 1% of the solar energy received by the earth enters the biosphere in the form of chemical energy through the process of photosynthesis. Heterotrophs depend upor autotrophs for food.
- Flows of energy take place from photosynthesizers to heterotrophs forming food chains and food webs.
- 5. Approximately 10% of the energy is conserved at each trophic level. This is how earth maintains so many living organisms in a highly organized state.
- 5. Answer: Structure of Mitochondria: They are spherical or elongated or rod-like cell organelle. Mitochondria were first discovered by Hofmeister in the cells of a pteridophyte, Equisetum. The were named 'Mitochondrion' by Benda.

Mitochondria is a double membranous organelle, the outer membrane is smooth while the inn one is folded into a number of cristae. The space between the two membranes is called the out chamber while the space surrounded by the inner membrane is an inner chamber that is filled with homogenous fluid. The inner membrane has a large number of F, particles or exosomes.

These are the sites for oxidative phosphorylation. Each Oxysome has a head, stalk, base; The number of elementary particles in a mitochondrion maybe 104-105. The head of F, particle contain ATP synthetase enzyme hence they are said to be ATP particles.



Mitochondria from animal cell

Functions of mitochondria:

eboardsu

"Hebogin

ideingh.

Study com

97 COLUILLI

COWILLER

ineboaid:

eloardsiu

Oaldsingy

Oardsillui

- 1. (a) If both Assertion and Reason are true and Reason is the correct explanation of Assertion.

 Explanation: Cells are the basic structural and functional unit of organism

 2. (a) If both Assertion and Reason are true and Explanation. 2. (a) If both Assertion and Reason are true and Reason is the correct explanation of Assertion.

 Explanation: Specialization of the cell increases the efficiency of the cell formation. and study comittee boards tudy Study contine to a destudy con Agarda fill of the poarda fill o particular confine to a destudy confine to a destud ell for ell fo

Jdy. contheboards tudy contine boards tudy contine boards tudy contine boards tudy.