Differential Equations

Question 1.

If $(x+2y^3)\frac{dy}{dx} = y$, then

(a)
$$\frac{x}{y} + y^2 = c$$
 (b) $\frac{y}{x} + x^2 = c$

(b)
$$\frac{y}{x} + x^2 = c$$

(c)
$$\frac{x}{y} - y^2 = c$$
 (d) $\frac{y}{x} - x^2 = c$

$$(d) \frac{y}{x} - x^2 = c$$

Answer: (c)
$$\frac{x}{y} - y^2 = c$$

Question 2.

The solution of $\frac{dy}{dx} + \frac{y}{x} = \frac{1}{\sqrt{1+x^2}}$ is

(a)
$$y = \frac{1+x^2}{x} + \frac{c}{x}$$

(a)
$$y = \frac{1+x^2}{x} + \frac{c}{x}$$
 (b) $y = \frac{\sqrt{1+x^2}}{x} + \frac{c}{x}$

(c)
$$y = \frac{x}{\sqrt{1+x^2}} + cx$$
 (d) none of these

(b)
$$y = \frac{\sqrt{1+x^2}}{x} + \frac{c}{x}$$

Question 3.

The solution of differential equation $\frac{dy}{dx} - 3y = \sin 2x$ is

(a)
$$y = e^{-3x} \left[\frac{\cos 2x + 3\sin 2x}{13} \right] + c$$

(b)
$$y = e^{-3x} \left(\frac{\cos 2x - 3\sin 2x}{13} \right) + c$$

(c)
$$ye^{-3x} = -e^{-3x} \frac{(2\cos 2x + 3\sin 2x)}{13} + c$$

(d) none of these

Answer:

(c)
$$ye^{-3x} = -e^{-3x} \frac{(2\cos 2x + 3\sin 2x)}{13} + c$$

Question 4.

The solution of the differential equation,

$$x^2 \frac{dy}{dx} \cdot \cos \frac{1}{x} - y \sin \frac{1}{x} = -1$$
, where $y \to -1$ as $x \to \infty$, is

(a)
$$y = \sin \frac{1}{x} - \cos \frac{1}{x}$$
 (b) $y = \frac{x+1}{x \sin \frac{1}{x}}$

(b)
$$y = \frac{x+1}{x\sin\frac{1}{x}}$$

(c)
$$y = \cos \frac{1}{x} + \sin \frac{1}{x}$$

(c)
$$y = \cos \frac{1}{x} + \sin \frac{1}{x}$$
 (d) $y = \frac{x+1}{x \cos \frac{1}{x}}$

Answer:

(a)
$$y = \sin \frac{1}{x} - \cos \frac{1}{x}$$

Ouestion 5.

The degree of the differential equation

$$\left(\frac{d^2y}{dx^2}\right)^2 + \left(\frac{dy}{dx}\right)^2 = x \sin\left(\frac{dy}{dx}\right) \text{ is }$$

- (a) 1
- (b) 2
- (c) 3
- (d) not defined

(d) not defined

Question 6.

The order and degree of the differential equation $\frac{d^2y}{dx^2} + \left(\frac{dy}{dx}\right)^{\frac{1}{4}} + x^{\frac{1}{5}} = 0$ respectively are

- (a) 2 and not defined
- (b) 2 and 2
- (c) 2 and 3
- (d) 3 and 3

Answer:

(a) 2 and not defined

Question 7.

Integrating factor of the differential equation

$$(1-x^2)\frac{dy}{dx} - xy = 1 \text{ is}$$

(a)
$$-x$$
 (b) $\frac{x}{1+x^2}$ (c) $\sqrt{1-x^2}$ (d) $\frac{1}{2}\log(1-x^2)$

Answer: (c)
$$\sqrt{1-x^2}$$

Question 8.

Integrating factor of the differential equation $\frac{dy}{dx} + y \tan x - \sec x = 0$ is

- (a) cos x
- (b) sec x
- (c) e^{cos x}
- (d) e^{sec x}

Answer:

(b) sec x

Question 9.

If
$$(x + y)^2 \frac{dy}{dx} = a^2$$
, $y = 0$ when $x = 0$, then $y = a$ if $\frac{x}{a} = a$

- (a) 1
- (b) tan 1
- (c) $\tan 1 + 1$
- (d) $\tan 1 1$

(d)
$$\tan 1 - 1$$

Question 10.

If
$$\frac{dy}{dx} = \sin(x+y) + \cos(x+y), y(0) = 0$$
, then

$$\tan \frac{x+y}{2} =$$

(a)
$$e^x - 1$$
 (b) $\frac{e^x - 1}{2}$ (c) $2(e^x - 1)$ (d) $1 - e^x$

Answer:

(a)
$$e^{x} - 1$$

Question 11.

If $\sin x \frac{dy}{dx} + y \cos x = x \sin x$, then $(y-1) \sin x =$

- (a) $c x \sin x$
- (b) $c + x\cos x$
- (c) $c x \cos x$
- (d) $c + x \sin x$

Answer:

(c)
$$c - x \cos x$$

Question 12.

The solution of differential equation $(e^y + 1) \cos x \, dx + e^y \sin x \, dy = 0$ is

- (a) $(e^y + 1) \sin x = c$
- (b) $e^x \sin x = c$
- $(c) (e^X + 1) \cos x = c$
- (d) none of these

Answer:

(a)
$$(e^y + 1) \sin x = c$$

Question 13.

The solution of the differential equation $\frac{dy}{dx} = \frac{x}{1+x^2}$ is

(a)
$$y = \frac{1}{2}\log|2 + x^2| + c$$
 (b) $y = \frac{1}{2}\log(1 + x) + c$

(c)
$$y = \log(\sqrt{1+x^2}) + c$$
 (d) none of these

(c)
$$y = \log(\sqrt{1+x^2}) + c$$

Question 14.

If
$$\frac{dy}{dx} = e^{-2y}$$
 and $y = 0$, when $x = 5$, then the value of x

when y = 3 is

(b)
$$e^6 + 1$$

(a)
$$e^5$$
 (b) $e^6 + 1$ (c) $\frac{e^6 + 9}{2}$ (d) $\log_e 6$

Answer:

(c)
$$\frac{e^6+9}{2}$$

Ouestion 15.

If
$$\frac{dy}{dx} = y \sin 2x$$
, $y(0) = 1$ then solution is

(a)
$$y = e \sin^2 x$$

(b)
$$y = \sin^2 x$$

(c)
$$y = \cos^2 x$$

(d)
$$y = e^{\cos^2 x}$$

Answer:

(a)
$$y = e \sin^2 x$$

Question 16.

The differential equation of all 'Simple Harmonic Motions' of given period $\frac{2\pi}{n}$ is

$$(a) \frac{d^2x}{dt^2} + nx = 0$$

(a)
$$\frac{d^2x}{dt^2} + nx = 0$$
 (b) $\frac{d^2x}{dt^2} + n^2x = 0$

(c)
$$\frac{d^2x}{dt^2} - n^2x = 0$$

(c)
$$\frac{d^2x}{dt^2} - n^2x = 0$$
 (d) $\frac{d^2x}{dt^2} + \frac{1}{n^2}x = 0$

(b)
$$\frac{d^2x}{dt^2} + n^2x = 0$$

Question 17.

The differential equation of all parabolas whose axes are parallel to y-axis is

(a)
$$\frac{dy}{dx} = -\frac{c^2}{x^2}$$
 (b) $\frac{d^2x}{dy^2} = c$

(b)
$$\frac{d^2x}{dy^2} = a$$

(c)
$$\frac{d^3y}{dx^3} + \frac{d^2x}{dy^2} = 0$$
 (d) $\frac{d^2y}{dx^2} + 2\frac{dy}{dx} = c$

(d)
$$\frac{d^2y}{dx^2} + 2\frac{dy}{dx} = \epsilon$$

$$(a) \frac{dy}{dx} = -\frac{c^2}{x^2}$$

Question 18.

The Solution of cos(x + y) dy = dx is

(a)
$$y = \tan\left(\frac{x+y}{2}\right) + C$$
 (b) $y = \cos^{-1}\left(\frac{y}{x}\right) + C$

(b)
$$y = \cos^{-1}\left(\frac{y}{x}\right) + C$$

(c)
$$y = x \sec\left(\frac{y}{x}\right) + C$$
 (d) none of these

Answer:

(a)
$$y = an\!\left(rac{x+y}{2}
ight) + C$$

Question 19.

If
$$\frac{dy}{dx} = \frac{x+y}{x}$$
, $y(1) = 1$, then $y =$

$$(a) x + \ln x$$

(b)
$$x^2 + x \ln x$$

(c)
$$xe^{x-1}$$

$$(d) x + x \ln x$$

Answer:

(d)
$$x + x \ln x$$

Ouestion 20.

If
$$(x^2 + y^2)dy = xy \ dx$$
, $y(1) = 1$, and $y(x_0) = e$, then

$$x_0 =$$

(a)
$$\sqrt{2(e^2-1)}$$

(b)
$$\sqrt{2(e^2+1)}$$

(d)
$$\sqrt{\frac{e^2+1}{2}}$$

(c)
$$\sqrt{3}$$
e

Question 21.

If
$$\frac{dy}{dx} = \frac{y}{x} + \tan \frac{y}{x}$$
, $y(1) = \frac{\pi}{2}$, then $y(\frac{1}{2}) =$

(a) $\frac{\pi}{3}$ (b) $\frac{\pi}{4}$ (c) $\frac{\pi}{6}$ (d) $\frac{\pi}{12}$

Answer:

(d) $\frac{\pi}{12}$

Question 22.

If
$$\frac{dy}{dx} = \frac{y}{x} \left(\frac{x \cos \frac{y}{x} + y \sin \frac{y}{x}}{y \sin \frac{y}{x} - x \cos \frac{y}{x}} \right)$$
, then

(a) $x \cos \frac{y}{x} = cy$ (b) $x \sec \frac{y}{x} = cy$

(c) $\cos \frac{y}{x} = cxy$ (d) $\sec \frac{y}{x} = cxy$

Answer:

(d) $\sec \frac{y}{x} = cxy$

Question 23.

If
$$\frac{dy}{dx} = \frac{y}{x - \sqrt{xy}}$$
, then

(a)
$$\sqrt{\frac{x}{y}} = \ln cy$$

(a)
$$\sqrt{\frac{x}{y}} = \ln cy$$
 (b) $-\sqrt{\frac{x}{y}} = \ln cy$

(c)
$$-2\sqrt{\frac{x}{y}} = \ln cy$$
 (d) $2\sqrt{\frac{x}{y}} = \ln cy$

(d)
$$2\sqrt{\frac{x}{y}} = \ln cy$$

$$(c) -2\sqrt{\frac{x}{y}} = \ln cy$$

Question 24.

If
$$(1+e^{x/y})dx + \left(1-\frac{x}{y}\right)e^{x/y}dy = 0$$
, then

(a)
$$x - ye^{x/y} = c$$

(a)
$$x - ye^{x/y} = c$$
 (b) $y - xe^{x/y} = c$

(c)
$$x + ye^{x/y} = c$$
 (d) $y + xe^{x/y} = c$

(d)
$$y + xe^{x/y} = c$$

Answer:

(c)
$$x + ye^{x/y} = c$$

Question 25.

The solution curve of
$$\frac{dy}{dx} = \frac{y^2 - 2xy - x^2}{y^2 + 2xy - x^2}$$
, $y(-1) = 1$ is

- (a) a straight line

(c) circle

(d) ellipse

Answer:

(c) Circle

Question 26.

The differential equation of all circles which pass through the origin and whose centre lies on y-

(a)
$$(x^2 - y^2) \frac{dy}{dx} - 2xy = 0$$
 (b) $(x^2 - y^2) \frac{dy}{dx} + 2xy = 0$

(c)
$$(x^2 - y^2) \frac{dy}{dx} - xy = 0$$
 (d) $(x^2 - y^2) \frac{dy}{dx} + xy = 0$

Answer:

(a)
$$(x^2 - y^2) \frac{dy}{dx} - 2xy = 0$$

Ouestion 27.

The differential equation of the family of circles touching the x-axis at origin is given by

(a)
$$y'' = \frac{1}{x^2 - y^2} y'$$
 (b) $y' = \frac{2xy}{x^2 - y^2}$

(b)
$$y' = \frac{2xy}{x^2 - y^2}$$

(c)
$$y''-y'=\frac{xy}{x^2-y^2}$$
 (d) none of these

(b)
$$y' = \frac{2xy}{x^2 - y^2}$$

Question 28.

The differential equation representing the family of ellipses with centre at origin and foci on xaxis is given as

(a)
$$xy' + y = 0$$

(b)
$$x^2y^2(y")^2 + yy' = 0$$

(c)
$$xyy'' + x(y')^2 - yy' = 0$$

(d) None of these

Answer:

(b)
$$x^2y^2(y")^2 + yy' = 0$$

Question 29.

The differential equation of all parabolas whose axes are along x-axis is

(a)
$$y_2^2 + y_1 = 0$$

(b)
$$y_1^2 + y_2 = 0$$

(c)
$$y_1^2 + y_1 y_2 = 0$$

$$(c) \ y_1^2 + y_1 y_2 = 0 \ (d) \ y_1^2 + yy_2 = 0$$

Answer:

(d)
$$y_1^2 + yy_2 = 0$$

Question 30.

The equation of family of curves for which the length of the normal is equal to the radius vector is

(a)
$$y^2 \mp x^2 = k^2$$

(b)
$$y \pm x = k$$

(c)
$$y^2 = kx$$

Answer:

(a)
$$y^2 \mp x^2 = k^2$$

Question 31.

Given the differential equation $\frac{dy}{dx} = \frac{6x^2}{2y + \cos y}$; y(1) = π

Mark out the correct statement.

(a) solution is
$$y^2 - \sin y = -2x^3 + C$$

(b) solution is
$$y^2 + \sin y = 2x^3 + C$$

(c)
$$C = \pi^2 + 2\sqrt{2}$$

(d)
$$C = \pi^2 + 2$$

(b) solution is
$$y^2 + \sin y = 2x^3 + C$$

Question 32.

The differential equation of all parabolas whose axis of symmetry is along the axis of the x-axis is of order

- (a) 3
- (b) 1
- (c) 2
- (d) none of these

Answer:

(c) 2

Question 33.

The degree of the equation satisfying the relation

$$\sqrt{1+x^2} + \sqrt{1+y^2} = \lambda(\sqrt{1+y^2} - y\sqrt{1+x^2})$$
 is

- (a) 1
- (b) 2
- (c) 3
- (d) none of these

Answer:

(a) 1

Question 34.

The degree of the differential equation $\left(\frac{d^2y}{dx^2}\right)^{2/3} + 4 - \frac{3dy}{dx} = 0$ is

- (a) 2
- (b) 1
- (c) 3
- (d) none of these

Answer:

(a) 2

Question 35.

The differential equation whose solution is $(x - h)^2 + (y - k)^2 = a^2$ is (a is a constant)

(a)
$$\left[1 + \left(\frac{dy}{dx}\right)^2\right]^3 = a^2 \frac{d^2y}{dx^2}$$

(b)
$$\left[1 + \left(\frac{dy}{dx}\right)^2\right]^3 = a^2 \left(\frac{d^2y}{dx^2}\right)^2$$

(c)
$$\left[1 + \left(\frac{dy}{dx}\right)\right]^3 = a^2 \left(\frac{d^2y}{dx^2}\right)^2$$

(d) none of these

Answer:

(b)
$$\left[1+\left(rac{dy}{dx}
ight)^2
ight]^3=a^2\left(rac{d^2y}{dx^2}
ight)^2$$

Question 36.

The differential equation satisfied by $y = \frac{A}{x} + B$ is (A, B are parameters)

(a)
$$x^2 y_1 = y$$

(b)
$$xy_1 + 2y_2 = 0$$

(c)
$$xy_2 + 2y_1 = 0$$

(d) none of these

Answer:

(c)
$$xy_2 + 2y_1 = 0$$

Question 37.

The solution of a differential equation is $y = c_1 e^{4x} + c_2 e^{3x}$, the differential equation is given by

(a)
$$\frac{d^2y}{dx^1} - 7\frac{dy}{dx} + 7 = 0$$
 (b) $\frac{d^2y}{dx^2} + 7\frac{dy}{dx}$ 12y = 0

(c)
$$\frac{d^2y}{dx^2} - 7\frac{dy}{dx} + 12y = 0$$
 (d) none of these

(c)
$$\frac{d^2y}{dx^2} - 7\frac{dy}{dx} + 12y = 0$$

Question 38.

The differential equation satisfied by

$$\sqrt{1+x^2} + \sqrt{1+y^2}$$

$$= \lambda (x\sqrt{1+y^2} - y\sqrt{1+x^2}), \lambda \in R \text{ is}$$

(a)
$$\frac{dy}{dx} = \frac{1+x^2}{1+y^2}$$
 (b) $\frac{dy}{dx} = \frac{1+y^2}{1+x^2}$

(b)
$$\frac{dy}{dx} = \frac{1+y^2}{1+x^2}$$

(c)
$$\frac{dy}{dx} = (1 + x^2)(1 + y^2)$$
 (d) none of these

Answer:

$$\text{(b) } \frac{dy}{dx} = \frac{1+y^2}{1+x^2}$$

Question 39.

The solution of the differential equation $\frac{dy}{dx} = \frac{1+y^2}{1+x^2}$ is

(a)
$$y = \tan^{-1} x$$

(b)
$$y - x = k(1 + xy)$$

(c)
$$x = \tan^{-1} y$$

$$(d) \tan(xy) = k$$

Answer:

(b)
$$y - x = k(1 + xy)$$

Question 40.

The solution of the differential equation $\cos x \sin y dx + \sin x \cos y dy = 0$ is

(a)
$$\frac{\sin x}{\sin y} = c$$

(b)
$$\sin x \sin y = c$$

(c)
$$\sin x + \sin y = c$$

(d)
$$\cos x \cos y = c$$

Answer:

(b)
$$\sin x \sin y = c$$

Question 41.

Which of the following is the general solution of

$$\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + y = 0$$
?

(a)
$$y = (Ax + B)e^x$$

(b)
$$y = (Ax + B)e^{-x}$$

(c)
$$y = Ae^x + Be^{-x}$$

(d)
$$y = A\cos x + B\sin x$$

(a)
$$y = (Ax + B) e^x$$

Question 42.

General solution of
$$\frac{dy}{dx} + \frac{2xy}{1+x^2} = \frac{1}{(1+x^2)^2}$$
 is

(a)
$$y(1+x^2) = c + \tan^{-1} x$$
 (b) $\frac{y}{1+x^2} = c + \tan^{-1} x$

(c)
$$y \log(1+x^2) = c + \tan^{-1} x$$

(d)
$$y(1+x^2) = c + \sin^{-1} x$$

Answer:

(a)
$$y(1+x^2) = c + \tan^{-1} x$$

Question 43.

If
$$\frac{xdy}{dx} - y = \sqrt{x^2 + y^2}$$
, then

(a)
$$x + \sqrt{x^2 + y^2} = cy^2$$
 (b) $\sqrt{x^2 + y^2} - y = cx^2$

(b)
$$\sqrt{x^2 + y^2} - y = cx^2$$

(c)
$$\sqrt{x^2 + y^2} + y = cx^2$$
 (d) $\sqrt{x^2 + y^2} - x = cy^2$

(d)
$$\sqrt{x^2 + y^2} - x = cy^2$$

Answer:
(c)
$$\sqrt{x^2 + y^2} + y = cx^2$$

Question 44.

The solution of the differential equation $(x^2 + y^2) dx - 2xy dy = 0$ is

(a)
$$\frac{y}{x^2 + y^2} = c$$

(b)
$$\frac{x^2 + y^2}{x} = c$$

(c)
$$\frac{y^2 - x^2}{y} = c$$

(d)
$$\frac{x^2 - y^2}{x} = c$$

$$(d) \frac{x^2 - y^2}{x} = c$$

Question 45.

The solution of the differential equation x dy + (x + y) dx = 0 is

(a)
$$c = \frac{y^2}{2} + xy$$

(b)
$$c = xy + \frac{x^2}{2}$$

(c)
$$c = x + \frac{(xy)^2}{2}$$

(d) none of these

Answer:

(b)
$$c = xy + \frac{x^2}{2}$$

Question 46.

The solution of differential equation $\frac{dy}{dx} = \frac{x-y}{x+y}$ is

(a)
$$x^2 - y^2 + 2xy + c = 0$$

(b)
$$x^2 - y^2 - xy + c = 0$$

(c)
$$x^2 - y^2 + xy + c = 0$$

(d)
$$x^2 - y^2 - 2xy + c = 0$$

Answer:

(d)
$$x^2 - y^2 - 2xy + c = 0$$

Question 47.

The particular solution $In(\frac{dy}{dx}) = 3x + 4y$, y(0) = 0 is

(a)
$$e^{3x} + 3e^{-4y} = 4$$

(b)
$$4e^{3x} - 3e^{-4y} = 3$$

(c)
$$3e^{3x} + 4e^{4y} = 7$$

(d)
$$4e^{3x} + 3e^{-4y} = 7$$

(d)
$$4e^{3x} + 3e^{-4y} = 7$$

Question 48.

The solution of the differential equation

$$\frac{x}{x^2+y^2}dy = \left(\frac{y}{x^2+y^2}-1\right)dx, \text{ is}$$

(a)
$$y = x \cot(C - x)$$

(a)
$$y = x \cot(C - x)$$
 (b) $\cos^{-1} \frac{y}{x} = (-x + C)$

(c)
$$y = x \tan(C - x)$$

(c)
$$y = x \tan(C - x)$$
 (d) $\frac{y^2}{x^2} = x \tan(C - x)$

Answer:

(c)
$$y = x \tan(C - x)$$

Question 49.

The solution of the differential equation

$$\left(\frac{x+y-1}{x+y-2}\right)\frac{dy}{dx} = \left(\frac{x+y+1}{x+y+2}\right), \text{ when } x = 1, y = 1, \text{ is}$$

(a)
$$\log \left| \frac{(x-y)^2 - 2}{2} \right| = 2(x+y)$$

(b)
$$\log \left| \frac{(x-y)^2 + 2}{2} \right| = 2(x-y)$$

(c)
$$\log \left| \frac{(x+y)^2 + 2}{2} \right| = 2(x-y)$$

(d) none of these

Answer:

(d) None of these

Question 50.

The solution of the differential equation

$$xdx + ydy + \frac{xdy - ydx}{x^2 + y^2} = 0$$
, is

(a)
$$y = x \tan \left(\frac{x^2 + y^2 + C}{2} \right)$$

(b)
$$x = y \tan \left(\frac{x^2 + y^2 + C}{2} \right)$$

(c)
$$y = x \tan \left(\frac{C - x^2 - y^2}{2} \right)$$

(d) none of these

Answer:

(c)
$$y = x an \left(\frac{C - x^2 - y^2}{2} \right)$$

Question 51.

If
$$\frac{dy}{dx} = \frac{2}{x+y}$$
, then $x+y+2=$

(b)
$$ce^{y/2}$$

(d)
$$ce^{-\frac{y}{2}}$$

Answer:

(b)
$$ce^{y/2}$$

Question 52.

The differential equation $\frac{dy}{dx} = \sqrt{\frac{1-y^2}{y}}$ determines a family of circle with

- (a) variable radii and fixed centre (0, 1)
- (b) variable radii and fixed centre (0, -1)
- (c) fixed radius 1 and variable centre on x-axis
- (d) fixed radius 1 and variable centre on y-axis

Answer:

(c) fixed radius 1 and variable centre on x-axis

Question 53.

If
$$y dx + y^2 dy = x dy$$
, $x \in R$, $y > 0$ and $y(1) = 1$, then $y(-3) = (a) 3$

- (b) 2
- (c) 1
- (d) 5

(a) 3

Question 54.

The solution of y $dx + (x + x^2y) dy = 0$ is

$$(a) - \frac{1}{xy} = c$$

(b)
$$-\frac{1}{xy} + \ln y = c$$

(c)
$$\frac{1}{xy} + \ln y = c$$

(d)
$$\ln y = cx$$

Answer:

$$(b) - \frac{1}{xy} + \ln y = c$$

Question 55.

If
$$\frac{xdy}{dx} + 2y = \ln x$$
, then $e^2y(e) - y(1) =$

(a)
$$\frac{e^2+1}{2}$$
 (b) $\frac{e^2+1}{3}$ (c) $\frac{e^2+1}{4}$ (d) e^2+1

(b)
$$\frac{e^2 + 1}{3}$$

(c)
$$\frac{e^2 + 4}{4}$$

(d)
$$e^2 + 1$$

Answer:

(c)
$$\frac{e^2+1}{4}$$

Question 56.

If
$$x(x-1)\frac{dy}{dx} - y = x^2(x-1)^2$$
, then $4y(2) - y(1) =$

- (a) 0
- (b) 2
- (c) 4
- (d) 6

Answer:

(d) 6

Question 57.

If
$$x \ln x \frac{dy}{dx} + y = 2 \ln x$$
, $y(e) = 2$, then $y(e^2) = 2$

- (a) I
- (b) $\frac{3}{2}$ (c) 2

(d) $\frac{5}{2}$

(d)
$$\frac{5}{2}$$

Question 58.

If
$$(1+x^2)\frac{dy}{dx} + y = \tan^{-1}x$$
, $y(0) = 1$, then $y(\frac{\pi}{4}) =$

(a)
$$\frac{1}{e}$$
 (b) e (c) $2e$ (d) $\frac{2}{e}$

Answer: (d)
$$\frac{2}{e}$$